

109 - As(III) oxidation by hydrous manganese(IV) oxide: Kinetics, mechanisms, and inhibition

Matthew Ginder-Vogel¹, mgindervogel@wisc.edu, **Brandon Lafferty**², **Donald L. Sparks**². (1) Department of Civil and Environmental Engineering, University of Wisconsin - Madison, Madison, WI 53716, United States, (2) Delaware Environmental Institute, University of Delaware, Newark, DE 19716, United States

Here we describe the reactions controlling the oxidation of As(III) by delta-MnO₂ (a poorly crystalline form of hexagonal birnessite) over time-scales ranging from sub-second to hours. Initial As(III) oxidation rates (< 30 s) were measured using batch reactions and quick-scanning X-ray absorption spectroscopy (Q-XAS). Longer-term reaction dynamics were examined using a combination of column and stir-flow reactors combined with molecular-scale characterization of the resultant solid-phases with both Q-XAS and traditional XAS. While the aqueous As(V) and As(III) concentrations were determined using LC-ICPMS analysis.

Q-XAS studies reveal that As(III) oxidation occurs most rapidly during the initial 30 seconds of reaction, followed by slow oxidation over the next several minutes, and that traditional analysis (i.e., ex-situ analysis of As(III/V)_{aq}) may underestimate As(III) oxidation rates due to As(V) removal from solution due to sorption on the HMO mineral surface.

In column and stirred-flow experiments, As(III) oxidation by d-MnO₂ is also initially rapid but slows appreciably after several hours of reaction. Mn(II) is the only reduced product of d-MnO₂ formed by As(III) oxidation during the initial, most rapid phase of the reaction. However, it appears that observed Mn(III) is a result of conproportionation of Mn(II) sorbed onto Mn(IV) reaction sites rather than from direct reduction of Mn(IV) by As(III). The only evidence of arsenic (As) sorption during As(III) oxidation by d-MnO₂ is during the first 10 h of reaction, and As sorption is greater when As(V) and Mn(II) occur simultaneously in solution. Our findings indicate that As(III) oxidation by poorly crystalline d-MnO₂ involves several simultaneous reactions and reinforces the importance of studying reaction mechanisms over multiple time-scales with multiple techniques.

Tuesday, April 9, 2013 09:20 AM

[Redox Processes at Mineral-Water Interfaces and their Impacts on Metal Biogeochemical Cycling and Contaminant Remediation \(08:00 AM - 12:35 PM\)](#)

Location: Morial Convention Center

Room: 210

*ACS does not own copyrights to the individual abstracts. For permission, please contact the author(s) of the abstract.

[Close Window](#)