



Chem 634

Pericyclic Reactions

Reading:

CS-B Chapter 6

Grossman Chapter 4

Pericyclic Reactions

Definition: Continuous, concerted reorganization of electrons

↓
cyclic
transition
state

↓
no intermediate,
single transition state

Bond breaking & bond making occur at the same time.

Can be synchronous (equal extent of breaking & making in TS) or asynchronous (unequal extent of breaking & making in TS).

Fukui & Hoffmann: Nobel Prize in Chemistry, 1981, “for... their theories, developed independently, concerning the course of chemical reactions” (Woodward dies in 1979)

5 Types

1. Electrocyclic
2. Cycloadditions
3. Sigmatropic
4. Chelotropic
5. Group Transfer

3 Theories

All 3 theories are correct!

1. **Woodward–Hoffmann**: Conservation of Orbital Symmetry

- 1st historically
- Uses *correlation diagrams*

2. **Fukui**: Frontier Molecular Orbital Theory

- Easier than Woodward–Hoffmann (usually)
- Based on HOMO/LUMO interactions

3. **Dewar–Zimmerman**: Aromatic Transition State




- Easiest to apply for all reaction types, but not intuitive to understand why it's valid

3 Things Matter

1. Number of electrons involved
2. Stereospecificity
3. Conditions: heat (Δ) vs. light ($h\nu$)


Type 1: Electrocyclic Reactions

- Ring openings and closures
- Exchange π -bond for σ -bond
- Classified by number of electrons




Diastereoselectivity – Observations


Case 1:




Case 3:



Case 2:



Case 4:



General Phenomenon... Woodward–Hoffmann Rules

Number of electrons	Thermal	Photochemical
4n	Con	Dis
4n+2	Dis	con

(n = integer)



6 points for a touchdown → 6e⁻, thermal, disrotatory

... *But why???*


Theory #1: Woodward–Hoffmann Correlation Diagrams

Angew. Chem. Int. Ed. **1969**, 8, 781.







- Consider all molecular orbitals (MO's) involved
- Consider symmetry of MO's in starting material, product, *and transition state*.
- Orbitals of different symmetry can cross (orthogonal orbitals).
- Orbitals of same symmetry *cannot* cross (extreme energetic cost).
- We are about orbitals where electrons end up.

Example of W-H Correlation Diagrams


disrotatory TS




conrotatory TS






Example of W-H Correlation Diagrams: Thermal Conditions



Example of W–H Correlation Diagrams: Photochemical Conditions




W-H Conservation of Orbital Symmetry Shortcut



Cycloadditions & Cycloreversions

- Union of 2 π -systems
- Exchange π -bonds for σ -bonds
- Classified by $[m+n]$, m & n = # of conjugated *atoms* in each π -system




Diels–Alder Reaction!

Note: 6 e-

Great way to make cyclohexenes & cyclohexanes

Fukui: Frontier Molecular Orbital (FMO) Theory

The idea: Use FMO's (HOMO + LUMO)




Types of Diels–Alder Reactions

Normal electron demand = HOMO of diene + LUMO of dienophile


Inverse electron demand = HOMO of dienophile + LUMO of diene

Net Bonding Interaction?


The idea: Use FMO's (HOMO + LUMO)



Diastereoselectivity: Endo vs. Exo



Why? ... Secondary Orbital Interactions






Regioselectivity & Rates: Substituent Effects

Rates depend on HOMO/LUMO gap.

Perturbation	HOMO	LUMO
extra conjugation	↑	↓
electron-withdrawing group	↓	↓
electron-donating group	↑	↑


Effects apply to both dienes & dienophiles.
Effect of substitution is biggest if on C1 of diene.





Examples

Regioselectivity

Related to polarization of HOMO and/or LUMO




Quick prediction: “imaginary intermediate”
(push arrows to get maximum effect of substituents)




... but remember
these reactions
are *concerted!!!*

Lewis Acid Effects


One of the first Lewis acid-accelerated organic transformations!



additive	$t_{1/2}$
none	2400 h
AlCl_3 (1 equiv)	< 1 min



additive	1,4 : 1,3
none	80 : 20
AlCl_3	97 : 3




additive	endo:exo
none	82 : 18
$\text{AlCl}_3 \cdot \text{OEt}_2$ (1 equiv)	99 : 1

Lewis acid increases rate, endo/exo selectivity & regioselectivity!

Why???

MO perturbation!





Explains rates, but what about selectivity issues???



Why???

Bigger difference in lobe size on C1
vs. C2 = better regioselectivity

Lower LUMO = faster rate




Bigger lobe on C=O carbon =
bigger 2° orbital interactions =
better endo/exo selectivity

One More Consideration: *S*-cis vs. *S*-trans

[2+2] Cycloadditions



FMO Analysis:



- No net bonding... “forbidden”
- This geometry is *suprafacial* on both π bonds $\Rightarrow [2\pi_s + 2\pi_s]$


Suprafacial = same face of π -system

Antarafacial = opposite faces of π -system



Alternative Transition State Geometry



Problem: Steric Hindrance!




Solution: Remove steric hindrance!



Sigmatropic Reactions

- Reorganization of σ and π bonds (migration of a σ -bond)
- Number of σ and π bonds remains constant
- Classify by [m,n]-rearrangement or [m,n]-shift (m, n = number of atoms in fragment)

[1,3]-Sigmatropic Rearrangement



Does this rearrangement proceed under thermal conditions?

Supra- or antarafacial??


For FMO, break into HOMO and LUMO:

[1,3]-Sigmatropic Rearrangements

Alkyl Shift?



FMO:



[3,3]-Sigmatropic Rearrangements




FMO Analysis:

2 Allyl radicals:




or

Allyl cation & anion




Suprafacial on both components!

Highly predictable TS \rightarrow "chair-like" (can predict stereochem)




Claisen Rearrangement



Oxy-Cope


2) Tautomerization of Pd+: Oxy-Cope.



$$\frac{k_2}{k_1} = 10^{10} - 10^{17} !!$$

JACS 1975, 97, 4765.

why? Ground-state destabilization



TS-stabilization

stabilizes radical character on allyl fragment



⇒ Asynchronous (bond breaks more than bond forms in TS)

Theory #3: Dewar–Zimmerman: Aromatic Transition State

Steps:

1. Choose basis set of 2p AO's (or 1s for H atoms)
2. Assign phases (any phases)
3. Connect orbitals that interact in the starting material
4. Connect lobes that begin to interact in the reaction
5. Count the number of phase inversions
6. Identify topology
 1. Odd # of phase inversions = Möbius
 2. Even # of phase inversions = Hückel
7. Assign Transition State as *aromatic* (thermally allowed) or *antiaromatic* (photochemically allowed)

System/Topology	Aromatic	Antiaromatic
Huckel	$(4n+2) e^-$	$(4n) e^-$
Mobius	$(4n) e^-$	$(4n+2) e^-$

Example of D–Z Theory